

JETCOAT®

PRODUCT CATALOG VOL 20

Performance Coatings for Driveways,
Roofs, Concrete and Foundations



A GLOBAL LEADER...

For over 50 years the JETCOAT name has stood for quality and performance. Today, JETCOAT continues to be a leader and innovator of driveway, roof, foundation and specialty coatings to meet the performance and environmental requirements of demanding professionals as well as the D-I-Y market.

The ongoing success of JETCOAT is directly attributed to the continued support and loyalty of our customers who depend on our unmatched quality and service to meet their dynamic needs.


JETCOAT is owned by ThorWorks Industries, an industry leader in specialty coatings and equipment.

We are the **world's largest producer of pavement sealers** with over 2 billion gallons applied world-wide.



Our manufacturing and distribution network includes:

- 36 Manufacturing Facilities in the United States including Alaska & Hawaii.
- 97 Distribution Centers in the United States
- Over a thousand bulk distribution sites throughout the United States.
- Manufacturing facilities in Canada, Australia, Mexico & China.
- Product Distribution in over 60 countries.





We are an industry leading producer of Driveway, Roof and Foundation coatings for the DIY retail market.

Superior product quality, award winning packaging, and unparalleled customer service have made us one of the most successful suppliers to the Home Improvement Industry.

Popular brands such as JETCOAT, Roofers Pride, Cool King, Liquid Driveway, Kidz Sand, and FarmPride are product names that are highly recognized by consumers.

With **more manufacturing locations than all competing brands combined**, along with **unmatched production capacity and logistical capabilities**, our consumer brands are poised for continued and unlimited growth in the retail sector.



JETCOAT IS THE TRUSTED NAME - YESTERDAY, TODAY & INTO THE FUTURE.

Driveway Coating & Repair Products



**Beautify & Protect
Blacktop Driveways**

DRIVEWAY COATING & REPAIR PRODUCTS

JETCOAT® 10-Year Supreme Driveway Resurfacer



A polymer modified asphalt emulsion based driveway resurfacer designed to beautify and protect asphalt pavement surfaces. Fortified with sand for ultimate filling, non-skid protection and longest life. Made with an Advanced Gel Formula. This driveway resurfacer is great for heavy traffic areas and dries to a rich black finish.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 10-Year Protection
- 10x Polymer Modification
- Urethane Enhanced for Longest Life
- Best for Heavy Traffic Areas
- Ultimate Non-Skid Protection

- Fast & Easy to Apply
- Dries to a Rich Black Finish

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25765	1	57.5 lbs.

JETCOAT® 8-Year Ultra Driveway Resurfacer



A polymer modified asphalt emulsion based driveway resurfacer designed to beautify, protect and renew asphalt pavement surfaces. Fortified with sand for added strength, filling, slip resistance and durability.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 8-Year Protection
- 8x Polymer Modification
- High Solids Formula for Good Filling & Long Term Protection
- Fast & Easy to Apply
- Dries Black

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25755	1	57.5 lbs.

JETCOAT® 5-Year Premium Driveway Filler & Sealer



A polymer modified asphalt emulsion based driveway filler and sealer designed to beautify and protect asphalt pavement surfaces. Fortified with sand for added filling, slip resistance, and durability.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 5-Year Protection
- 5x Polymer Modification
- Fills & Seals Blacktop Surfaces
- Dries Black

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25745	1	57.5 lbs.

DRIVEWAY COATING & REPAIR PRODUCTS

JETCOAT® 3-Year E-Z Stir Driveway Filler and Sealer



A polymer modified asphalt emulsion based driveway sealer designed to protect asphalt pavement surfaces. Fortified with sand for slip resistance and durability.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 3-Year Protection
- 3x Polymer Modification
- Fortified With Sand for Slip-Resistance
- Dries Black

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25735	1	55.4 lbs.

JETCOAT® 2-Year Standard Driveway Sealer



A polymer modified asphalt emulsion based driveway sealer designed to protect asphalt pavement surfaces. Fortified with sand for slip resistance and durability.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 2-Year Protection
- 2x Polymer Modification
- Fortified With Sand for Slip-Resistance
- Dries Black

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25715	1	55.4 lbs.

JETCOAT® 1-Year Driveway Sealer



A polymer modified asphalt emulsion based driveway sealer designed to protect asphalt pavement surfaces. Fortified with sand for slip resistance and durability.

USES:

- Asphalt Driveways & Parking Areas

FEATURES:

- 1-Year Protection
- 1x Polymer Modification
- Fortified With Sand for Slip-Resistance
- Dries Black

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	25705	1	55.4 lbs.

DRIVEWAY COATING & REPAIR PRODUCTS



JETCOAT® Premium Elastomeric Driveway Crack Sealant



A polymer modified elastomeric asphalt emulsion crack sealant designed for sealing cracks up to 3/4" wide in asphalt pavement surfaces.

USES:

- Filling Cracks in Asphalt Pavement

FEATURES:

- Elastomeric Formula for Outstanding Flexibility & Adhesion
- Fills & Seals Cracks in Asphalt Driveways
- Seals Out Moisture
- High Solids Formula for Lasting Repair
- Dries Black

COVERAGE:

One .9 gallon jug will fill approximately 150 lineal feet of cracks 1/2" wide by 1/4" deep. One 10 ounce tube will fill approximately 6-12 feet of cracks. Ultimate coverage will be dependent upon depth and width of cracks.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Jug	23751	6	62.3 lbs.
10 Oz. Tube	23749	12	10.1 lbs.

JETCOAT® Standard Driveway Crack Filler



An asphalt emulsion crack filler designed for sealing cracks up to 1/2" wide in asphalt pavement surfaces.

USES:

- Filling Cracks in Asphalt Pavement

FEATURES:

- Fills & Seals Cracks in Asphalt Driveways
- Seals Out Moisture
- Easy to Apply
- Dries Black

COVERAGE:

One .9 gallon jug will fill approximately 150 lineal feet of cracks 1/2" wide by 1/4" deep. One 10 ounce tube will fill approximately 6-12 feet of cracks. Ultimate coverage will be dependent upon depth and width of cracks.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Jug	23701	6	62.3 lbs.
10 Oz. Tube	23739	12	10.1 lbs.

DRIVEWAY COATING & REPAIR PRODUCTS

JETCOAT® Heavy-Duty Trowel Grade Crack Filler



Heavy-bodied sand-filled trowel grade asphalt emulsion crack filler designed for filling cracks up to 1" wide in asphalt pavement surfaces. Can also be used to fill shallow ruts and depressions in pavement surfaces.

USES:

- Filling Cracks & Ruts in Asphalt Pavement

FEATURES:

- Levels Low Spots & Depressions in Asphalt Driveways
- Seals Out Moisture
- Easy to Apply
- Dries Black

COVERAGE:

Ultimate coverage will be dependent upon depth and width of crack.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	23711	6	77.82 lbs.

JETCOAT® Acrylic Oil Spot Primer



A polymer modified emulsion designed to seal oil and gasoline stains prior to applying JETCOAT Driveway Sealers or Resurfacers. Dries clear.

USES:

- Priming Oil & Gas Stains on Asphalt Pavement Prior to Applying Driveway Sealer

FEATURES:

- Seals & Primes Oil & Grease Spots on Asphalt Driveways
- Improves Adhesion of Driveway Sealer
- Reduces Oil Spot Bleed-Through

COVERAGE:

One quart will cover approximately 30-50 square feet per coat.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	23744	12	28.5 lbs.

JETCOAT® All-Weather Pothole Patch



JETCOAT All-Weather Pothole Patch is a rapid setting pothole patch designed for filling potholes and depressions in driveways, parking lots, roads, and other pavement surfaces. It can be used in both wet and dry conditions.

USES:

- For Driveways, Parking Lots, Roads, & Other Pavement Surfaces.

FEATURES:

- Rapid Setting
- Works in All Temperatures
- Works in Wet or Dry Conditions
- Immediately Ready For Traffic
- Easy To Apply- Just Pour & Tamp
- DOT Approved

COVERAGE:

5 sq. ft. at 1" Thickness per 50 lb. bag.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
50 lb. Bag	23753	1	50 lbs.

Concrete Sealer & Repair Products



**Beautify & Protect
Concrete Driveways,
Sidewalks,
Patios & More**

CONCRETE SEALER & REPAIR PRODUCTS

JETCOAT® High Gloss Sealer



An advanced water-based acrylic clear sealer that provides a high gloss protective and durable finish to paving stone and exposed aggregate surfaces.

USES:

- Paving Stone, Decorative Stone, and Exposed Aggregate Concrete

FEATURES:

- Dries to a Clear Glossy Finish
- 100% Acrylic Formula
- Fast Drying
- Durable Lasting Finish

COVERAGE:

130 to 170 square feet per gallon per coat.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66815	1	46 lbs.
.9 Gal. Pail	66811	6	55 lbs.

JETCOAT® Concrete Sealer



A professional grade 100% acrylic water-based clear drying emulsion. It is designed to seal and protect both interior and exterior concrete surfaces.

USES:

- Driveways, Patios, Sidewalks, Pool Decks, Floors, Quarry Tiles, Paver Bricks, Brick Surfaces, Masonry, & More.

FEATURES:

- Seals & Protects
- Dustproofs
- Clear Finish
- Salt & Chemical Resistant
- Weatherproofs
- Water-Based
- Cures Concrete

COVERAGE:

For best results apply JETCOAT Concrete Sealer at a rate of 200 square feet per gallon (950 square feet per 4.75 gallon pail).

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66805	1	46 lbs.
.9 Gal. Pail	66801	6	55 lbs.

JETCOAT® Concrete Patch



A 100% acrylic heavy-bodied trowel grade crack filler designed for filling larger cracks up to 1" wide in concrete surfaces. Concrete Patch can also be used to fill and repair damaged and spalled areas in concrete up to 1/4" deep.

USES:

- Use to Repair Concrete Driveways, Floors, Patios, Sidewalks, Pool Decks, & More

FEATURES:

- 100% Acrylic Formulation
- Fills Cracks Up To 1" Wide
- Heavy-Bodied Trowel Grade Formula
- Repairs Damaged & Spalled Areas Up to 1/4" Deep

COVERAGE:

Dependent upon depth and width of repair.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	66821	6	99.8 lbs.

CONCRETE SEALER & REPAIR PRODUCTS

JETCOAT® Concrete Crack Sealant



A 100% acrylic elastomeric sealant designed for filling cracks up to 1/2" wide in concrete pavement surfaces.

USES:

- Filling Cracks in Concrete Pavement Surfaces

FEATURES:

- Seals Out Moisture
- Fills Cracks Up To 1/2" Wide
- High Solids Formulation for Lasting Repair

COVERAGE:

Coverage is dependent upon depth and width of cracks. Typically, one quart of Concrete Crack Sealant will fill approximately 20-35 feet of cracks.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66834	12	39 lbs.

JETCOAT® Concrete Cleaner



An environmentally friendly, water based formula designed to clean all types of concrete and brick surfaces.

USES:

- Concrete Surfaces, Driveways, Patios, Paver Bricks, Exposed Aggregate & More

FEATURES:

- Non-Toxic
- Water Based

COVERAGE:

Dependent upon dilution rate with water.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66844	12	30 lbs.

JETCOAT® Concrete Bonding Agent & Fortifier



A professional grade bonding agent & fortifier for concrete designed to strengthen concrete patches and aid in the adhesion of new concrete.

USES:

- Concrete Patches, Repairs & Overlays

FEATURES:

- Increases UV, Chemical & Water Resistance
- Strengthens Concrete Repairs & Overlays
- Adheres New Concrete to Old
- Increases Flexibility

COVERAGE:

Dependent upon dilution rate with water.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66854	12	30 lbs.

Roof, Flashing, Lap Cement, & Adhesives



**Repair & Protect Roof
Surfaces from Moisture**

ROOF, FLASHING, LAP CEMENT & ADHESIVES

JETCOAT® Premium All-Weather Roof Patch & Flashing Cement



Professional grade All-weather roof patch and flashing cement that is rubberized for added strength and flexibility. Cures to a tough and resilient protective barrier. Its non-sag properties and exceptional adhesion makes this an ideal cement for the construction and repair of all flashings, metal joints, seams, coping, vent pipes, skylights and chimneys.

USES:

- Repair holes, cracks, splits & seams
- Seal around chimneys, flashings, metal joints, skylights, copings & more
- Repair asphalt & fiberglass shingle leaks

FEATURES:

- Rubberized for lasting performance
- All-weather formula

- Will not run or sag
- Added flexibility & elasticity
- Superior flashing, patching & leak repair

COVERAGE:

Approximately 12 square feet per gallon.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	61415	1	50 lbs.
.9 Gal. Pail	61411	6	56 lbs.
10 Oz. Tube	61429	12	11 lbs.

JETCOAT® All-Weather Roof Patch



This multi-purpose patch material features a special blend of refined asphalts and adhesion promoters designed to bond rapidly to moist, damp, wet or dry surfaces. It provides water repellency when conventional cements just won't stick.

USES:

- Splits & Seams
- Vents & Skylights
- Chimneys & Copings
- Flashings
- Metal Joints

FEATURES:

- Stops Roof Leaks Instantly
- Long-Lasting Protection
- Fiber Reinforced
- Easy-To Use-Trowel Grade Formula
- Commercial & Residential Use

COVERAGE:

Approximately 12 square feet per gallon.

One 10 ounce tube will fill approximately 30 lineal feet at 1/4" thick.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	61715	1	50 lbs.
.9 Gal. Pail	61711	6	56 lbs.
10 Oz. Tube	61719	12	11 lbs.
29 Oz. Tube	61718	12	25 lbs.
.9 Quart Can	61714	12	33 lbs.

JETCOAT® Neoprene Flashing Cement



A high-performance, professional grade elastomeric flashing and repair product that cures to a long lasting rubber-like film. Remains flexible through extreme temperature ranges. Its non-sag property and exceptional adhesion makes this an ideal cement for the construction and repair of flashings, metal joints, seams, coping, vent pipes, skylights and chimneys. Ideally suited for sealing cracks, holes, and tears in built-up roofs and modified bitumen single ply.

USES:

- Splits & Seams
- Vents & Skylights
- Chimneys & Copings
- Flashings
- Metal Joints

FEATURES:

- Professional Grade
- Remains Flexible & Watertight
- High Performance Rubberized Elastomeric Cement
- May be Applied in Standing Water for Emergency Repairs

COVERAGE:

One 10 ounce tube will fill approximately 30 lineal feet at 1/4" thick.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
10 Oz. Tube	61439	12	11 lbs.

ROOF, FLASHING, LAP CEMENT & ADHESIVES

JETCOAT® Lap Cement Roof Adhesive



A special blend of adhesive asphalts, fibers, special resins and other ingredients that assure its rapid fusion to the base surface. Intended primarily as a blind nailing cement for use with roll roofing. It creates a tight bond and prevents buckling and curling of edges. Roof adhesive is also suitable for application to older roofs to seal cracks and pinholes. Dries black.

USES:

- Adhesive for Rolled Roofing

FEATURES:

- A Waterproof Adhesive for Use in the Application of Roll Roofing
- Bonds Layers of Roll Roofing
- Provides a Moisture Barrier

COVERAGE:

Approximately 50 square feet per gallon, 150-175 linear feet per 4 inch lap.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	62735	1	44 lbs.
.9 Gal. Pail	62731	6	54 lbs.

JETCOAT® Clear-Drying Roof Patch



An acrylic, clear drying roof patch designed for repairing cracks, seams, edges around skylights, vents, and metal joints. Dries clear.

USES:

- Cracks & Seams
- Vents
- Skylights
- Metal Joints

FEATURES:

- Acrylic Formula for Lasting Performance
- Excellent Adhesion & Flexibility
- Water Based
- Easy To Apply

COVERAGE:

Dependent upon depth and width of areas to be repaired.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	61771	6	60 lbs.
10 Oz. Tube	61779	12	10 lbs.

JETCOAT® Resin Treated Multi-Purpose Reinforcing Fabric



Ideal for use with asphalt & elastomeric roof cements to strengthen repairs on cracks, gutters, flashings, seams and more.

FEATURES:

- Reinforces & Strengthens Patchwork for Lasting Repairs
- Resin Treated for Superior Cohesion with Patching Materials
- Use with Asphalt & Elastomeric Cements

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
6 Inches wide X 50 Feet Long	61762S	12	12 lbs.

Roof & Foundation Coatings



**Protect Foundation & Roof
Surfaces from Moisture**

ROOF & FOUNDATION COATINGS

JETCOAT® Fibered Roof and Foundation Coating



A mixture of liquid asphalt and fibers which forms a tough, adhesive bond with most roof surfaces. Highly resistant to water and other types of weather damage. Seals small cracks, joints, seams and nail holes. Dries black.

USES:

- Metal Roofs
- Roof Felts
- Concrete Foundations
- Built-Up Roofs
- Concrete Roofs
- Wood Roofs & More

FEATURES:

- Protects Built-Up Composition, Metal, Gravel & Concrete Roofs & Foundations
- Use for Coating Entire Surface Area, Above or Below Grade

COVERAGE:

Metal Roof: 60-70 square feet per gallon
Felt or Composition: 50-60 square feet per gallon
Concrete: 25-50 square feet per gallon
Old Oxidized Roofing: 25-50 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	62705	1	44 lbs.
.9 Gal. Pail	62701	6	52 lbs.

JETCOAT® Non-Fibered Roof and Foundation Coating



A sealer-preservative for all types of surfaces, this product is an excellent saturant for composition roofing which has become excessively dry. It rustproofs metal, preserves wood, waterproofs stone or brick and rejuvenates composition surfaces. Also used to coat concrete foundations, above or below grade as well as fences and barns. Dries black.

USES:

- Concrete Foundations
- Most Flat Roof Surfaces
- Wood Fences & Barns

FEATURES:

- Penetrates, Preserves, & Protects Roofs, Foundations, Wood Fences, Barns, & More

- Use for Coating Entire Surface Area, Above or Below Grade

COVERAGE:

Metal Surfaces: 90-100 square feet per gallon
Concrete: 75-100 square feet per gallon
Wood or Composition: 65-90 square feet per gallon
Old, Oxidized Roofing: 50-80 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	63705	1	42 lbs.
.9 Gal. Pail	63701	6	47 lbs.

JETCOAT® Asphalt Primer



A thin consistency, paint-like product made with refined asphalt and selected petroleum solvents. Adheres to a variety of surfaces. Upon curing, provides an excellent base for JETCOAT asphalt coatings and patching materials.

USES:

- Preserving Roofing Felts
- Preparing Surfaces for Coating

FEATURES:

- Renews Old Roofing
- For Use Above or Below Grade

COVERAGE:

Metal Surfaces: 135-150 square feet per gallon
Concrete and Masonry Surfaces: 75-100 square feet per gallon
Wood or Composition: 100-125 square feet per gallon
Worn Roofing: 50-60 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	64135	1	43 lbs.

ROOF & FOUNDATION COATINGS

JETCOAT® GRAY GUARD™ Premium Acrylic Elastomeric Foundation Coating



An acrylic elastomeric emulsion fortified with water resistant polymers. Forms a liquid rubber membrane that seals and waterproofs a variety of surfaces. Exceptional UV resistance, water resistance, and gray color allow for use above and below grade on surfaces exposed to weather.

USES:

- Above & Below Grade Exterior Basement Walls
- Poured Concrete Walls
- Polystyrene/Styrofoam Insulation Board
- Wood, Foam & More

FEATURES:

- Seals & Waterproofs
- Soap & Water Cleanup
- Premium Acrylic Elastomeric Formula
- For Use Above & Below Grade

COVERAGE:

Approximately 150 square feet per 4.75 gallon pail. Approximately 31 square feet Per .9 gallon pail.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	64125	1	42 lbs.
.9 Gal. Pail	64121	6	52 lbs.

JETCOAT® Premium Rubberized Foundation & Roof Coating



An elastomeric polymer modified asphalt emulsion designed for coating most roof surfaces and concrete foundations. Protects concrete foundations and most roof surfaces from moisture and water intrusion. Dries black.

USES:

- Most Roof Surfaces
- Waterproofing
- Exterior Basement Walls
- Poured Concrete Walls
- Polystyrene/Styrofoam Insulation Board
- Wood, Foam & More

FEATURES:

- Seals Out Water & Moisture
- Advanced Elastomeric Formula Bridges

Hairline Cracks in Concrete

- Easy to Apply
- Soap & Water Cleanup
- Zero Voc Water-Based Formula

COVERAGE:

Approximately 150 square feet per 4.75 gallon pail at 60 MIL thickness. Approximately 31 square feet per .9 gallon pail at 60 MIL thickness.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	64105	1	42 lbs.

Emulsion Roof & Foundation Coatings



**Protect Foundation & Roof
Surfaces from Moisture**

EMULSION ROOF & FOUNDATION COATINGS

JETCOAT® Fibered Emulsion Roof & Foundation Coating



A fiberized asphalt emulsion designed for coating a variety of roof surfaces and concrete foundations. Dries black.

USES:

- Metal Roofs
- Built-Up Roofs
- Roof Felts
- Concrete Roofs
- Concrete Foundations
- Wood Roofs & More

FEATURES:

- Easy To Apply
- Soap & Water Cleanup
- Zero Voc Formula
- Seals Out Water & Moisture
- Environmentally Friendly Water-Based Formula

COVERAGE:

Metal Surfaces - 75-100 square feet per gallon
Concrete and Masonry surfaces - 50-75 square feet per gallon
Composition Roofing - 50-75 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	60715	1	46 lbs.

JETCOAT® Non-Fibered Emulsion Roof & Foundation Coating



A non-fibered asphalt emulsion designed for coating a variety of roof surfaces, concrete foundations and wood fences. Non-fibered formulation facilitates ease of sprayability. Environmentally friendly water-based formula. Dries black.

USES:

- Concrete Foundations
- Most Roof Surfaces
- Wood Fences & Barns

FEATURES:

- Easy To Apply
- Soap & Water Cleanup
- Seals Out Water & Moisture
- Environmentally Friendly Water-Based Formula
- Zero Voc Formula

COVERAGE:

Metal Surfaces - 75-100 square feet per gallon
Concrete and Masonry Surfaces - 50-75 square feet per gallon
Composition Roofing - 50-75 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	60705	1	46 lbs.

Reflective Coating Products



**Energy Saving
Reflective Coatings**

REFLECTIVE COATING & REPAIR PRODUCTS

JETCOAT® 7-Year Premium Fibered Aluminum Roof Coating



This premium energy saving formula stays brighter longer. It will seal, protect, and reflect solar heat using a proven blend of selected waterproofing pigments. Forms an excellent adhesive bond with most substrates. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, heat is reflected back into the building, saving energy costs. Dries bright silver.

USES:

- Metal & Concrete Roofs
- Weathered Asphalt
- Metal Buildings/Grain Bins
- Built-Up Roofs & Mobile Homes
- Mod. Bitumen, SBS & APP

FEATURES:

- 7-Year Protection
- Bright Aluminum Color
- Saves Energy
- Superior Reflectivity
- Our Best Aluminum Roof Coating

COVERAGE:

Metal Surface: 70-100 square feet per gallon
Composition Surface: 40-60 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	65255	1	49 lbs.
.9 Gal. Pail	65251	6	58 lbs.

JETCOAT® 5-Year Fibered Aluminum Roof Coating



A blend of pure waterproofing asphalt and high grade aluminum pigments plus the addition of fibers. Reflects up to 80% of the sun's rays, helping prevent excessive drying and cracking of substrate, thus reducing leaks. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, inside heat is reflected back into the building, thus saving energy costs. Dries silver.

USES:

- Metal Roofs
- Weathered Asphalt
- Mobile Homes
- Built-Up Roofs

FEATURES:

- 5-Year Protection
- Bright Aluminum Color
- Saves Energy Costs

COVERAGE:

Metal Surface: 70-100 square feet per gallon
Composition Surface: 40-60 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	65215	1	49 lbs.
.9 Gal. Pail	65211	6	58 lbs.

JETCOAT® 3-Year Fibered Aluminum Roof And Mobile Home Coating



A blend of select asphalts, aluminum pigments and fibers designed to reflect the sun's rays. Temperature directly under roof surface stays cooler in the summer and warmer in the winter. Dries silver.

USES:

- Mobile Homes/RV's
- Commercial & Residential Buildings

FEATURES:

- 3-Year Protection
- Aluminum Color
- Reflects Sunlight & Saves Energy Costs

COVERAGE:

Metal Surface: 70-100 square feet per gallon
Composition Surface: 40-60 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	65205	1	45 lbs.
.9 Gal. Pail	65201	6	54 lbs.

REFLECTIVE COATING & REPAIR PRODUCTS

JETCOAT® Non-Fibered Aluminum Roof Coating



A blend of pure waterproofing asphaltum and high grade aluminum pigments. This material will reflect up to 80% of the sun's rays, helping prevent excessive drying and cracking of substrate, thus reducing leaks. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, inside heat is reflected back into the building, thus saving energy costs. Dries silver.

USES:

- Metal Roofs
- Weathered Asphalt
- Mobile Homes
- Built-Up Roofs

FEATURES:

- 5-Year Protection
- Bright Aluminum Color
- Reflects Sunlight
- Lowers Energy Costs

COVERAGE:

Metal Surface: 70-100 square feet per gallon
Composition Surface: 50-75 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	65735	1	47 lbs.
.9 Gal. Pail	65731	6	56 lbs.

JETCOAT® 10-Year Premium White Reflective Elastomeric Roof Coating



A 100% acrylic, highly elastomeric, titanium fortified roof coating formulated to provide a high solids rubber-like membrane. Designed for use on metal, polyurethane foam, EPDM, APP, masonry, asphalt and wood surfaces. Forms a highly reflective barrier resulting in significant energy savings. Dries bright white.

USES:

- Asphalt Roofs
- Polyurethane Foam
- Mobile Homes
- EPDM, APP, SBS
- RV's, Concrete, Wood & More

FEATURES:

- 10-Year Protection
- Dries Bright White
- Energy Star Rated

- Saves Energy
- Meets ASTM D6083 Specifications
- High-Solids Formula for Maximum Durability

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet. One .9 gallon container will cover approximately 50-70 square feet.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66215	1	55 lbs.
.9 Gal. Pail	66211	6	69 lbs.

JETCOAT® 7-Year White Reflective Elastomeric Roof Coating



An acrylic elastomeric roof coating designed to form a rubber-like membrane over a variety of roof surfaces. Reflects the sun's rays resulting in energy cost savings. Designed for use on metal, polyurethane foam, masonry, asphalt and wood surfaces. Dries white.

USES:

- Aged Asphalt & Aluminum Coatings
- Polyurethane Foam
- Mobile Homes, Campers/RV's
- Metal, Concrete, Wood & More

FEATURES:

- 7-Year Protection
- Dries White
- Energy Star Rated

- Saves Energy
- Acrylic Elastomeric Polymers for Lasting Durability

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet. One .9 gallon container will cover approximately 50-70 square feet.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66205	1	55 lbs.
.9 Gal. Pail	66201	6	69 lbs.

REFLECTIVE COATING & REPAIR PRODUCTS

JETCOAT® 5-Year White Reflective Roof Coating



An acrylic elastomeric roof coating designed to form a rubber-like membrane over a variety of roof surfaces. Reflects the sun's rays resulting in energy cost savings. Designed for use on metal, polyurethane foam, masonry, asphalt and wood surfaces. Dries white.

USES:

- Mobile Homes/RV's
- Metal, Concrete, Wood & More

FEATURES:

- 5-Year Protection
- Dries White
- Saves Energy

COVERAGE:

One 4.75 gallon pail will cover approximately 250-350 square feet. One .9 gallon container will cover approximately 50-70 square feet.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66235	1	55 lbs.
.9 Gal. Pail	66231	6	69 lbs.

JETCOAT® White Elastomeric Roof Patch



An acrylic emulsion patch material designed for repairing cracks, seams, edges around skylights, vents, and metal joints. Dries white.

USES:

- Cracks
- Seams
- Skylights
- Vents
- Metal Joints

FEATURES:

- Dries White
- Excellent Adhesion & Flexibility
- Acrylic Formula for Lasting Performance

COVERAGE:

One .9 gallon pail will cover approximately 12 square feet at 1/8" thick or 35 linear feet of 4" wide repair at 1/8" thick. 10 ounce tube coverage is dependent upon depth and width of areas to be repaired .

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	66221	6	71 lbs.
10 Oz Tube	66249	12	11 lbs.

JETCOAT® 15-Year Superior White Liquid Thermoplastic Rubber Coating



A white, highly elastomeric, thermoplastic rubber coating that provides a waterproof seal. It is formulated to hold up to ponding water conditions on flat roofs. It can be applied in cooler temperatures as low as 35°F. It helps extend the life of the roof and reduce building energy costs by increasing solar reflectance. Wet, freshly applied coating will not wash off even if rain occurs immediately after application.

USES:

- Metal roofs
- Asphalt roofs
- Concrete
- Polyurethane Foam
- EPDM, TPO, PVC & others

FEATURES:

- Stands up to ponding water
- Can be installed in humid or cold conditions
- Does not need primer

COVERAGE:

Non-single ply rubber roof membranes: one 4.75 gallon pail will provide enough material for 2 coats over an area of approximately 175-200 square feet. For single ply rubber roof membranes: one 4.75 gallon pail will provide enough material for 1 primer coat and 2 coats over an area of approx. 135-150 square feet.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66185	1	57 lbs.
.9 Gal. Pail	66181	6	69 lbs.

REFLECTIVE COATING & REPAIR PRODUCTS

JETCOAT® Ultra White 100% Silicone Roof Coating



A high solids 100% Silicone, moisture cure Elastomeric White Roof Coating designed to water proof and protect many types of roof surfaces.

USES:

- Asphalt
- Built-Up Roofs
- Polyurethane Foam
- EPDM
- APP
- Modified Bitumen
- Metal Roofs
- Concrete, Wood & More

FEATURES:

- Superior UV Resistance & Weathering
- Fast Setting Moisture-Cure Technology
- High Solids Formula for Superior Waterproofing Protection
- Forms a Tough, Durable Rubber Membrane

COVERAGE:

One gallon will cover approximately 50 square foot of roof surface depending on surface porosity. Five gallons will cover approximately 250 square feet.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66165	1	54 lbs.

JETCOAT® Silicone Roof Sealant



100% Silicone high solids sealant designed for a variety of roofing repair applications. Forms a tough, durable water proof and UV resistant rubber sealant. Ideal for use on built-up roofing, modified bitumen, single ply rubber roofs, polyurethane foam, metal, concrete, wood, skylights, flashings & more.

USES:

- Asphalt
- Built-Up Roofs
- Polyurethane Foam
- EPDM
- APP
- Modified Bitumen
- Metal Roofs
- Concrete, Wood & More

FEATURES:

- 100% Silicone Rubber Sealant
- Exceptional Adhesion & Flexibility

- Designed for Roofing & Joint Applications
- UV Resistant & Waterproof

COVERAGE:

Coverage is approximately 50 linear feet per 3/16" bead. Clean uncured material from tools and equipment with VM&P Naphtha or Mineral Spirits.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
10 oz. Tube	66169	12	15.5 lbs.

Barn & Fence Paint



**Durable Finishes
to Protect Wood
Barns & Fences**

BARN & FENCE PAINT

Premium One Coat 100% Acrylic Barn & Fence Paint

A premium fade resistant 100% acrylic paint fortified with UV inhibitors for years of lasting durability. Easily applied by spray, brush or roller. Features one coat coverage. Available in Traditional Barn Red, Gray, White, Green and Black.

USES:

- All Wood Plank Fences
- All Types of Barns
- Roofs, Concrete & More

FEATURES:

- Acrylic Water-Based Formula
- Resists Fading, Peeling & Chipping
- Environmentally Friendly Formula
- Helps Prevent Cribbing
- Livestock Safe - Dry Finish
- Mold-Resistant
- Easy Soap & Water Cleanup
- Dries to a Semi-Gloss Finish

CONTAINER SIZE:

55 Gallon, 4.75 Gallon

COVERAGE:

Approximately 95 - 100 square feet per gallon per coat depending upon porosity of surface.

4-Board Wood Plank Fence: Approximately 50 four-Board Fence Panels per 55 gallon drum of paint. Approximately 4.5 four-Board Fence Panels per 4.75 gallon pail of paint.


PRODUCT DETAILS:

Size:	Item #	Weight	Color
55 Gal. Drum	J66407D	523 lbs.	Red
4.75 Gal. Pail	J66405	47.5 lbs.	Red
55 Gal. Drum	J66437D	567 lbs.	Gray
4.75 Gal. Pail	J66435	52 lbs.	Gray
55 Gal. Drum	J66427D	567 lbs.	White
4.75 Gal. Pail	J66425	52 lbs.	White
55 Gal. Drum	J66417D	523 lbs.	Black
4.75 Gal. Pail	J66415	47.5 lbs.	Black
55 Gal. Drum	J66397D	523 lbs.	Green
4.75 Gal. Pail	J66395	47.5 lbs.	Green


Paint Color Chart



Traditional
Barn Red




Classic
Barn Green



Dove Gray



Classic Black



Traditional
White

* Colors may vary slightly due to printing limitations from samples above.



BARN & FENCE PAINT

Acrylic Fence & Barn Paint



Quality acrylic fence paint designed to beautify and protect wood plank fences, barns and more.

USES:

- All Wood Plank Fences
- All Types of Barns

FEATURES:

- Acrylic Water-Based Formula
- Resists Fading, Peeling & Chipping
- Environmentally Friendly Formula
- Livestock Safe - Dry Finish
- Mold-Resistant
- Easy Soap & Water Cleanup
- Dries to a Semi-Gloss Black Finish

COVERAGE:

Approximately 95 - 100 square feet per gallon per coat depending upon porosity of surface.

4-Board Wood Plank Fence: Approximately 50 four-Board Fence Panels per 55 gallon drum of paint. Approximately 4.5 four-Board Fence Panels per 4.75 gallon pail of paint.

PRODUCT DETAILS:

Size:	Item #	Weight
.9 Gal. Pail	66761	9 lbs.
4.75 Gal. Pail	66765	46 lbs.
55 Gal. Drum	66767D	511 lbs.
275 Gal. Tote	66762	2555 lbs.

Premium Asphalt Fence Paint



Asphalt based fence paint fortified with special oils designed to penetrate, preserve and protect wood and other types of surfaces. It will also add years of service life as it rust proofs metal, preserves wood, damp proofs stone or brick and rejuvenates composition surfaces. Helps prevent cribbing on fencing and stalls. Designed for use above or below grade.

USES:

- Wood or Metal Fences & Posts
- Masonry & Concrete
- Use Above or Below Grade

FEATURES:

- Apply by Brush, Spray or Roller
- Penetrates, Preserves & Protects
- Livestock Safe - Dry Finish

COVERAGE:

Up to 200 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66445	1	49 lbs.
.9 Gal. Pail	66441	6	59 lbs.

Premium Aluminum Paint



A premium resin based aluminum protective paint that exhibits a brilliant silver color for superior reflectivity. Protects a variety of metal surfaces including grain bins, silos, roofs, chain link fences and more. Can also be applied to wood, concrete and other building substrates where enhanced reflectivity is desired. Dries bright silver.

USES:

- Grain Bins/Silos
- Metal Roofs & Fences
- Tanks & Trailers
- Dairy Equipment
- Metal & Wood Surfaces

FEATURES:

- Outstanding Reflectivity
- Long-Term Durability
- Lustrous Aluminum Finish
- Cools Interior Building & Structure Temperature
- Weatherproofs

COVERAGE:

Up to 180 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66455	1	49 lbs.
.9 Gal. Pail	66451	6	59 lbs.



For more information please visit: JETCOATinc.com

JETCOAT
P.O. Box 23054
472 S. Brehl Avenue
Columbus, Ohio 43223

Phone:
1-800-394-0047

Fax:
1-614-279-7201