



## SAFETY DATA SHEET

Issuing Date 29-May-2015

Revision Date 2-Sept-2015

Revision Number 1

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### GHS Product Identifier

Product Name: Neoprene Flashing Cement

#### Other Means of Identification

Product Code(s): 61439  
Synonyms: None

#### Recommended Use of the Chemical and Restrictions on Use

Recommended Use: Used to repair or rebuild roofing materials.  
Uses Advised Against: For Exterior Use Only

#### Manufacturer's Details Manufacturer Address

JETCOAT Inc.  
472 Brehl Avenue  
Columbus, OH 43223  
TEL: 800-934-0047  
[www.jetcoatinc.com](http://www.jetcoatinc.com)

#### Emergency Telephone Number

Chemtrec 1-800-424-9300

### 2. HAZARDS IDENTIFICATION


#### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

|                                    |             |
|------------------------------------|-------------|
| Skin Corrosion/Irritation          | Category 2  |
| Serious Eye Damage, Eye Irritation | Category 2A |
| Carcinogenicity                    | Category 1A |
| Flammable Liquids                  | Category 3  |

#### GHS Label Elements, Including Precautionary Statements

#### Emergency Overview

|  |                               |  |
|--|-------------------------------|--|
| <b>Signal Word</b> <ul style="list-style-type: none"><li>● Flammable Liquid and Vapor</li><li>● Harmful or Fatal if Swallowed</li><li>● May Cause Cancer</li></ul> | <b>Warning</b>                |  |
|   |                               |  |
| <b>Appearance:</b> Black   | <b>Physical State:</b> Mastic | <b>Odor:</b> Solvent (Mineral Spirits) |

**Precautionary Statements****Prevention**

- Obtain Special Instructions Before Use
- Use Personal Protection as Required
- Avoid Breathing Dust/Mist/Vapor/Spray/Fume
- Do Not Eat, Drink, or Smoke When Using This Product
- Keep Container Tightly Closed When Not in Use
- Keep Away From Heat, Open Flame, Spark, or Hot Surfaces

**General Advice****Storage****Disposal**

- None
- Store in a Well Ventilated, Cool Place
- Dispose in Accordance with Local, Regional, National, and International Regulations

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name                                 | CAS Number  | Weight % | Trade Secret |
|---|-------------|----------|--------------|
| Rubber  | 132778-07-5 | 5-25     | *            |
| Mineral Spirits                               | 8052-41-3   | 10-20    | *            |
| Solvent Naptha (petroleum),<br>Light Aromatic | 64742-95-6  | 10-20    | *            |
| Calcium Carbonate                             | 1317-65-3   | 10-35    | *            |

\*The exact percentage of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of Necessary First-Aid Measures****Eye Contact**

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

**Skin Contact**

Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.

**Inhalation**

Move to fresh air. If symptoms persist, call a physician.

**Ingestion**

Drink plenty of water. Do NOT induce vomiting. Get medical attention immediately.

**Most Important Symptoms/Effects, Acute and Delayed****Most Important Symptoms/Effects** May cause Eye and Skin Irritation**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary****Notes to Physician**

Treat Symptomatically. May cause sensitization by skin contact.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Fog. Sand.**Unsuitable Extinguishing Media** CAUTION: Do Not Use Solid Stream of Water.**Specific Hazards Arising from the Chemical**

Combustible Liquid. Sealed Containers May Burst when Heated

**Explosion Data****Sensitivity to Mechanical Impact**

Not Sensitive

**Sensitivity to Static Discharge**

May Be Ignited by Heat, Flames, or Sparks

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment, and Emergency Procedures****Personal Precautions:**

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Eliminate all ignition sources. Emergency responders should use personal protection described in Section 8.

**Environmental Precautions**

**Environmental Precautions:** Prevent entry into the environment. Alert Local Authorities if significant spillages cannot be contained. See Section 12 for additional Ecological Information

**Methods and Materials for Containment and Cleaning Up**

**Methods for Containment:** Prevent further leakage or spillage if safe to do so.  
**Methods for Cleaning Up:** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly in accordance to environmental regulations.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Handling:** Handle in accordance with good industrial hygiene and safety practice. Remove all sources of ignition. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

**Conditions for Safe Storage, Including Any Incompatibilities**

**Storage:** Keep container tightly closed. Keep away from heat, sources of ignition, flame and spark. Store in a cool, well ventilated area.  
**Incompatible Products:** Strong oxidizing agents. Acids.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Control Parameters**

**Exposure Guidelines** This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits established by OSHA.

| Chemical Name                  | ACGIH TLV    | OSHA PEL   | NIOSH IDLH  |
|--------------------------------|--------------|--|---|
| Calcium Carbonate<br>1317-65-3 | -            | TWA: 15 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup><br>(vacated) TWA: 15 mg/m <sup>3</sup><br>(vacated) TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup> respirable dust<br>TWA 10 mg/m <sup>3</sup> total dust                       |
| Mineral Spirits<br>8052-41-3   | TWA: 100 ppm | TWA: 500 ppm<br>TWA: 2900 mg/m <sup>3</sup><br>(vacated) TWA: 100 ppm<br>(vacated) TWA: 525 mg/m <sup>3</sup>                      | IDLH: 20000 mg/m <sup>3</sup><br>Ceiling: 180 mg/m <sup>3</sup> 15 min.<br>TWA: 350 mg/m <sup>3</sup> |

**Appropriate Engineering Controls**

**Engineering Measures:** Showers  
 Eyewash Stations  
 Ventilation Systems- must be sufficient to keep vapor concentrations below the TWA limits shown above.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection:** If splashes are likely to occur, wear: Safety glasses with side shields.  
**Skin and Body Protection:** Wear gloves that are impervious to chemical penetration.  
**Respiratory Protection:** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.  
**Hygiene Measures:** Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing vapors.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

**Physical State:** Mastic  
**Odor:** Solvent (Mineral Spirits)  
**Appearance:** Black  
**Odor Threshold:** No Information Available

| Property                    | Values            | Remarks/Method          |
|-----------------------------|-------------------|-------------------------|
| pH                          | No data available | None known              |
| Melting Point/Range         | No data available | None known              |
| Boiling Point/Boiling Range | 154° C            |                         |
| Flash Point                 | 40.5° C           |                         |
| Evaporation Rate            | No data available | None known              |
| Flammability (solid, gas)   | No data available | None known              |
| Flammability Limits in Air  |                   | Flammable above 40.5° C |
| Upper flammability limit    | No data available |                         |
| Lower flammability limit    | No data available |                         |



#### 14. TRANSPORTATION INFORMATION

**DOT:** Regulated if shipped in containers >119 Gallons  
Not regulated if shipped in containers <119 Gallons

**Proper Shipping Name** Combustible liquid, n.o.s. (mineral spirits)  
**Hazard Class** 3  
**Packing Group** III

#### 15. REGULATORY INFORMATION

##### International Inventories

**TSCA** – Complies  
**DSL/NDSL** – Complies

##### Legend

**TSCA** – United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** – Canadian Domestic Substances List/Non-Domestic Substances List

##### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

##### SARA 311/312 Hazard Categories

|  |     |
|--|-----|
| <b>Acute Health Hazard</b>               | Yes |
| <b>Chronic Health Hazard</b>             | Yes |
| <b>Fire Hazard</b>                       | Yes |
| <b>Sudden Release of Pressure Hazard</b> | No  |
| <b>Reactive Hazard</b>                   | No  |

##### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

##### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

##### U.S. State Regulations

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

##### U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

| <b>Chemical Name</b> | <b>New Jersey</b> | <b>Massachusetts</b> | <b>Pennsylvania</b> |
|----------------------|-------------------|----------------------|---------------------|
| Calcium Carbonate    | X                 | X                    | X                   |
| Mineral Spirits      | X                 | X                    | X                   |

##### U.S. EPA Label Information

**EPA Pesticide Registration Number:** Not applicable

#### 16. OTHER INFORMATION

|             |                         |                        |                           |  |
|-------------|-------------------------|------------------------|---------------------------|--|
| <b>NFPA</b> | <b>Health Hazard: 2</b> | <b>Flammability: 2</b> | <b>Instability: 0</b>     | <b>Physical and<br/>Chemical Hazards-<br/>Personal<br/>Protection: X</b> |
| <b>HMIS</b> | <b>Health Hazard: 2</b> | <b>Flammability: 2</b> | <b>Physical Hazard: 0</b> |  |

**Revision Date:** 2-Sept-2015  
**Revision Note:** Supersedes 29-May-2015

##### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.