

SAFETY DATA SHEET

Issuing Date 4-Mar-2021

Revision Date

Revision Number

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name: 15-Year Superior White Liquid Thermoplastic Rubber Coating **Other Means of Identification** Product Code(s): 66181, 66185 Synonyms None Recommended Use of the Chemical and Restrictions on Use Recommended Use: Used to repair or rebuild roofing materials. **Uses Advised Against:** For Exterior Use Only Manufacturer's Details Manufacturer Address JETCOAT Inc. 472 Brehl Avenue Columbus, OH 43223 TEL: 800-934-0047 www.jetcoatinc.com **Emergency Telephone Number** Chemtrec 1-800-424-9300 2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Skin Corrosion/Irritation	Category 2
Serious Eye Damage, Eye Irritation	Category 2A
Flammable Liquids	Category 3

GHS Label Elements, Including Precautionary Statements

Warning	
Swed	
Dhusiaal Ctates Liquid	Oders Column (Mineral Crista)
Physical State: Liquid	Odor: Solvent (Mineral Spirits)
 Obtain Special Instructions Before Use 	
 Use Personal Protection as Required 	
 Avoid Breathing Dust/Mist/Vapor/Spray/Fume 	
•Do Not Eat, Drink, or Smoke When Using This Product	t
 Keep Container Tightly Closed When Not in Use 	
•Keep Away From Heat, Open Flame, Spark, or Hot Su	Irfaces
 Store in a Well Ventilated, Cool Place 	
	and International Regulations
	 Physical State: Liquid Obtain Special Instructions Before Use Use Personal Protection as Required Avoid Breathing Dust/Mist/Vapor/Spray/Fume Do Not Eat, Drink, or Smoke When Using This Produce Keep Container Tightly Closed When Not in Use Keep Away From Heat, Open Flame, Spark, or Hot Su None

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

	3. COMPOSITION/IN	IFORMATION ON INGREDI	ENIS	
Chemical Name	CAS Number	Weight %	Trade Secret	
Proprietary Polymers	Proprietary	20-40	*	
Calcium Carbonate	1317-65-3	10-20	*	
Titanium Dioxide	13463-67-7	5-15	*	
Aromatic 100	64742-95-6	30-50	*	
The exact percentage of composition	on nas deen withneid as a tra	de secret.		
	4. FIRS	ST AID MEASURES		
Description of Necessary First-Aid				
Eye Contact		enty of water, also under the eye	elids. If symptoms persist, call a	
Skin Contact	physician. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic			
		reactions, see a physician.		
nhalation		ptoms persist, call a physician.		
ngestion	Drink plenty of water. D	o NOT induce vomiting. Get me	edical attention immediately.	
lost Important Symptoms/Effects	Acute and Delayed			
lost Important Symptoms/Effects		Irritation		
ndication of Immediate Medical A				
otes to Physician	Treat Symptomatically.	May cause sensitization by skin	contact.	
	5. FIRE-F	IGHTING MEASURES		
	0. TINET			
uitable Extinguishing Media				
arbon Dioxide (CO ₂). Dry Chemica	I. Foam. Water Fog. Sand.			
Unovitable Extinguishing Medi		alid Stream of Wotor		
Unsuitable Extinguishing Medi	a CAUTION: Do Not Use So	bid Stream of water.		
pecific Hazards Arising from the	Chemical			
combustible Liquid. Sealed Contain				
Explosion Data Sensitivity to Mechanical Impa	et Not	Sensitive		
Sensitivity to Static Discharge		Be Ignited by Heat, Flames, or	Sparks	
Protective Equipment and Precau	tions for Firefighters			
s in any fire, wear self-contained br	eathing apparatus pressure-	demand MSHA/NIOSH (approv	red or equivalent) and full protective	
ear.				
	6. ACCIDENT	AL RELEASE MEASURES		
Personal Precautions, Protective	Equipment, and Emergency	/ Procedures		
Personal Precautions:		tion. Avoid contact with skin, ey		
			ergency responders should use	
	personal protection desc			
invironmental Precautions				
invironmental Precautions:			es if significant spillages cannot b	
	contained. See Section	12 for additional Ecological Info	rmation	
lethede and Materials for Contain	ment and Cleaning Un			
<u>lethods and Materials for Contair</u> lethods for Containment:		or spillage if safe to do so.		
	i tovoni turtitor toakaye			
Nethods for Cleaning Up:			and transfer to properly labeled	
		minated surface thoroughly in a	ccordance to environmental	
	regulations.			
	7. HAND	LING AND STORAGE		
	I. HAND	LING AND STORAGE		
recautions for Safe Handling				
landling:	Handle in accordance w	ith good industrial hygiene and s	safety practice. Remove all	
-	sources of ignition. Avoi	d contact with skin, eyes, and c	lothing. Wear personal protective	
			t, drink, or smoke when using this	
	product. Wash thorough	nly after handling.		

Conditions for Safe Storage. Including Any Incompatibilities Storage: Keep container tightly clo

Keep container tightly closed. Keep away from heat, sources of ignition, flame and spark. Store in a cool, well ventilated area. **Incompatible Products:** Strong oxidizing agents. Acids.

EXPOSURE CONTROLS / PERSONAL PROTECTION 8.

Control Parameters Exposure Guidelines

This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits established by OSHA.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 5 mg/m³ respirable dust TWA 10 mg/m³ total dust
Titanium Dioxide 13463-67-7	-	TWA: 15 mg/m³ TWA: 5 mg/m³	TWA: 10 mg/m ³ respirable dust
Aromatic 100 64742-95-6	-	500 ppm	-

Appropriate Engineering Controls

Engineering Measures:

Showers

Eyewash Stations

Ventilation Systems- must be sufficient to keep vapor concentrations below the TWA limits shown above.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Wear gloves that are impervious to chemical penetration. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.		No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection sho	
Hygiene Measures:	Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing vapors.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and ClPhysical State:LiquidOdor:Solvent (Mineral Sp	Appeara	ince: reshold:	White No Information Available
<u>Property</u> pH Melting Point/Range Boiling Point/Boiling Range	Values No data available No data available 154° C	Remarks None kno None kno	
Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limits in Air	40.5° C No data available No data available	None kno None kno Flammat	
Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density Specific Density	No data available No data available No data available No data available 1.10 @ 25° C	None kno None kno None kno	own
Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water	Insoluble Yes, in aromatic and aliphatic solvents. No data available		
Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties VOC Content	330° C No data available No data available Vapor accumulation could flash or expl None No data available	None kno None kno ode if ignite	own

10. STABILITY AND REACTIVITY

Reactivity:	No data available		
Chemical Stability:	Stable under recommended storage conditions.		
Possibility of Hazardous Reactions:	None under normal processing.		
Hazardous Polymerization:	Hazardous polymerization does not occur.		
Conditions to Avoid:	Avoid contact with strong oxidizing agents, flame, and sparks.		
Incompatible Materials:	Strong oxidizing agents. Acids. : Carbon Monoxide (CO), Carbon Dioxide (CO ²), Hydrogen Sulfide, Nitrogen Dioxide		
hazardous Decomposition Froducts			
	11. TOXICOLOGICAL INFORMATION		
Information on Likely Routes of Exp Product Information	osure		
Inhalation:	May cause irritation of respiratory tract.		
Eye Contact:	Contact with eyes may cause irritation.		
Skin Contact:	May cause irritation.		
Ingestion:	If swallowed, do not induce vomiting. Get medical attention immediately.		
Symptoms Related to the Physical	Chemical, and Toxicological Characteristics		
Symptoms:	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,		
	fatigue, nausea, and vomiting.		
	also Chronic Effects from Short and Long Term Exposure		
Sensitization:	May cause sensitization to susceptible persons.		
Mutagenic Effects:	No information available.		
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen. The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of		
	polycyclic aromatic hydrocarbons destroys their carcinogenic potential.		
ACGIH: (American Conference of Go A3 – Animal Carcinogen	overnmental Industrial Hygienists)		
IRAC: (International Agency for Res	parch on Cancer)		
Group 2B – Possibly Carcinogenic to H			
NTP: (National Toxicity Program)			
Reasonably Anticipated – Reasonably	Anticipated to be a Human Carcinogen		
OSHA: (Occupational Safety & Healt	h Administration)		
X – Present			
Reproductive Toxicity:	No information available.		
STOT - Single Exposure:	No information available.		
STOT – Repeated Exposure: Aspiration Hazard:	No information available. No information available.		
Footovicity	12. ECOLOGICAL INFORMATION		
Ecotoxicity The environmental impact of this produ	ct has not been fully investigated. This product may cause adverse environmental effects if		
used improperly or release to the envir	onment through a spill. Employ best management practices to prevent this material from ays or otherwise impacting plant and animal species.		
Persistence and Degradability:	No information available.		
Bioaccumulation			
Other Adverse Effects:	No information available.		
	13. DISPOSAL CONSIDERATIONS		
Waste Disposal Methods: Disposa	of material and container should be in accordance with local, regional, national, and		
• •	onal regulations.		
Contaminated Packaging:	Do not re-use empty containers.		
	14. TRANSPORTATION INFORMATION		
DOT:	Regulated if shipped in containers >119 Gallons Not regulated if shipped in containers <119 Gallons		
Proper Shipping Name Hazard Class	Combustible liquid, n.o.s. (mineral spirits) 3 		
Packing Group	111		
	Page 4		
	I USU T		

15. REGULATORY INFORMATION

International Inventories

TSCA – Complies DSL/NDSL – Complies

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number:

 16. OTHER INFORMATION

 NFPA
 Health Hazard: 2
 Flammability: 2
 Instability: 0
 Physical and Chemical Hazards-Democal Hazards

 HMIS
 Health Hazard: 2
 Flammability: 2
 Physical Hazard: 0
 Personal Protection: X

Not applicable

Revision Date: 4-Mar-2021 Revision Note:

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.