



# **SAFETY DATA SHEET**

Issuing Date 15-April-2015 Revision Date 2-Sept-15 Revision Number 1

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### **GHS Product Identifier**

Product Name: Farm Pride 10-Year Premium White Elastomeric Roof Coating

**Other Means of Identification** 

Product Code(s): 66485, 66481

Synonyms None

#### Recommended Use of the Chemical and Restrictions on Use

Recommended Use: No information available.
Uses Advised Against: For Exterior Use Only

Manufacturer's Details
Manufacturer Address

JETCOAT Inc. 472 Brehl Avenue Columbus, OH 43223 TEL: 800-934-0047 www.jetcoatinc.com

**Emergency Telephone Number** 

Emergency Telephone Number Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### Classification

This product is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Acute Oral Toxicity Category 4

#### **GHS Label Elements, Including Precautionary Statements**

#### **Emergency Overview**

Signal Word

Warning

Harmful if swallowed



Appearance: White Physical State: Liquid Odor: Mild

## **Precautionary Statements**

• Wash face, hands, and any exposed skin thoroughly after handling.

• Do not eat, drink, or smoke when using this product.

General Advice •None

Ingestion
 If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell.

• Rinse mouth

Storage • None

• Dispose of contents/container to an approved waste disposal plant.

#### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Calcium Carbonate	1317-65-3	20-40	*
Cellulose	9004-34-6	0-5	*
Acrylic Polymer	Proprietary	20-40	*
Titanium Dioxide	13463-67-7	0-20	*
Ethylene Glycol	107-21-1	0-5	*

<sup>\*</sup>The exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

**Description of Necessary First-Aid Measures** 

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions, see a physician.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

#### Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

#### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Spray. Water Fog.

Unsuitable Extinguishing Media None

## **Specific Hazards Arising from the Chemical**

No information available

**Explosion Data** 

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment.

**Environmental Precautions** 

Environmental Precautions: See Section 12 for additional Ecological Information. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and Materials for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

**Precautions for Safe Handling** 

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Wear personal protective equipment. Do not eat, drink, or smoke

when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep container tightly closed

Incompatible Products: Strong oxidizing agents. Strong Bases.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
		TWA: 15 mg/m <sup>3</sup>	
Calcium Carbonate	-	TWA: 5 mg/m³	TWA: 5 mg/m³ respirable dust
1317-65-3		(vacated) TWA: 15 mg/m³	TWA 10 mg/m³ total dust
		(vacated) TWA: 5 mg/m <sup>3</sup>	
Ethylene Glycol	Ceiling: 100 mg/m³ aerosol	(vacated) Ceiling: 50 ppm	
107-21-1	only	(vacated) Ceiling: 125 mg/m³	-

Appropriate Engineering Controls

Engineering Measures: Showers

Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection:** If splashes are likely to occur, wear: Safety glasses with side shields.

Skin and Body Protection: Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid Appearance: White

Odor: Mild Odor Threshold: No Information Available

<u>Values</u> Remarks/Method **Property** No data available None known pН No data available Melting Point/Range None known **Boiling Point/Boiling Range** 100° C None known No data available Flash Point None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

**Vapor Pressure** No data available None known Vapor Density No data available None known Specific Density 1.42 @ 77 F None known Water Solubility Easily dispersible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known None known

Viscosity
No data available
Flammable Properties
No data available
Not Flammable
Explosive Properties
No data available
No data available
Oxidizing Properties
Other Information

VOC Content No data available

## 10. STABILITY AND REACTIVITY

Reactivity: No data available

**Chemical Stability:** Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization:
Conditions to Avoid:
Incompatible products.

Incompatible Materials: Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO2), and unburned hydrocarbons (smoke)

#### 11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

**Product Information** 

Inhalation:May cause irritation of respiratory tract.Eye Contact:Contact with eyes may cause irritation.

Skin Contact: May cause irritation.
Ingestion: Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Ethylene Glycol	4000 mg/kg (Rat)	9530 μL/kg (Rabbit)	-

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms: No information available.

#### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization:No information available.Mutagenic Effects:No information available.Carcinogenicity:No information available.

ACGIH: (American Conference of Governmental Industrial Hygienists)

IRAC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

OSHA: (Occupational Safety & Health Administration)

Reproductive Toxicity:
STOT - Single Exposure:
STOT - Repeated Exposure:
Aspiration Hazard:
No information available.
No information available.
No information available.

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylene Glycol 107-21-1	EC50 96h: 6500-13000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: 14-18 mL/L static (Oncorhynchus mykiss) LC50 96 h: 40000-60000 mg/L static (Pimephales promelas) LC50 96 h: = 16000 mg/L static (Poecilia reticulata) LC50 96 h: = 27540 mg/L static (Lepomis macrochirus) LC50 96 h: = 40761 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 41000 mgL static (Oncorhynchus mykiss)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	EC50 48h: = 46300 mg/L (Daphnia magna)

Persistence and Degradability: No information available.

**Bioaccumulation** 

Bioaccumulation			
Chemical Name	Log Pow		
Ethylene Glycol	-1.93		

Other Adverse Effects: No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional,

or local regulations for additional requirements.

**Contaminated Packaging:** Do not re-use empty containers.

## 14. TRANSPORTATION INFORMATION

DOT: Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

TSCA - Complies DSL/NDSL - Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Ethylene Glycol	107-21-1	0-5	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard Yes **Chronic Health Hazard** Nο Fire Hazard No Sudden Release of Pressure Hazard Nο **Reactive Hazard** No

#### **Clean Water Act**

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ	
Ethylene Glycol	5000 lb.		RQ 5000 lb. final RQ RQ 2270 kg final RQ	

#### **U.S. State Regulations**

California Proposition 65:

None

<u>U.S. State Right-To-Know Regulations</u>
"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	X	X	X		Χ
Ethylene Glycol	Χ	X	X	X	X

**U.S. EPA Label Information** 

EPA Pesticide Registration Number: Not applicable

16. OTHER INFORMATION

NFPA Health Hazard: 1 Flammability: 0 Instability: 0 Physical and Chemical Hazards-

HMIS Health Hazard: 1 Flammability: 0 Physical Hazard: 0 Personal

Protection: X

Revision Date: 2-Sept-15

Revision Note: Supersedes 15-April-2015

**General Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.